

# Potential Allergens in Routinely Recommended Vaccines

updated December 2024

Excipient	Purpose	Vaccine Name	Vaccine Type	Amount per 0.5 mL Dose (unless otherwise noted)
2-Phenoxyethanol	Stabilizer	Adacel	Tdap	3.3 mg (0.6% v/v) (not as a preservative)
2-Phenoxyethanol	Stabilizer	Daptacel	DTaP	3.3 mg (0.6% v/v) (not as a preservative)
2-Phenoxyethanol	Stabilizer	Pentacel	DTaP+IPV+Hib	3.3 mg (0.6 v/v) (not as a preservative)
2-Phenoxyethanol	Stabilizer	Quadracel	DTaP+IPV	3.3 mg (0.6 v/v) (not as a preservative)
Acetic Acid	Adjust pH	mResvia	RSV	0.021 mg
Acetic Acid	Adjust pH	Spikevax (Moderna)	COVID-19	0.021 mg
Albumin, Bovine	Stabilizer	Vaqta	HepA	<10 <sup>-4</sup> mcg
Albumin, Bovine	Stabilizer	Zostavax	Varicella Zoster	Trace amounts
Albumin, Bovine Serum	Stabilizer	Kinrix	DTaP+IPV	VERO cell culture growth
Albumin, Bovine Serum	Stabilizer	MMR-II	MMR	<1 ppm
Albumin, Bovine Serum	Stabilizer	Pediarix	DTaP+HepB+IPV	VERO cell culture growth
Albumin, Bovine Serum	Stabilizer	Pentacel	DTaP+IPV+Hib	≤10 ng
Albumin, Bovine Serum	Stabilizer	Prehevbrio	HepB	<2.5 ng/mL
Albumin, Bovine serum	Stabilizer	Priorix	MMR	≤50 mcg
Albumin, Bovine serum	Stabilizer	ProQuad	MMRV	≤0.5 mcg
Albumin, Bovine Serum	Stabilizer	Quadracel	DTaP+IPV	≤50 ng
Albumin, Bovine Serum	Stabilizer	RotaTeq	Rotavirus	Trace amounts
Albumin, Bovine Serum	Stabilizer	Varivax	Varicella	Trace amounts
Albumin, Bovine Serum	Stabilizer	Vaxelis	DTaP+IPV+Hib+HepB	≤50 ng
Albumin, Egg (Ovalbumin)	Residual Medium	Afluria	Influenza	≤1 mcg
Albumin, Egg (Ovalbumin)	Residual Medium	Fluarix	Influenza	≤0.05 mcg
Albumin, Egg (Ovalbumin)	Residual Medium	Flulaval	Influenza	≤0.3 mcg
Albumin, Egg (Ovalbumin)	Residual Medium	FluMist	Influenza	≤0.024 mcg/0.2mL dose
Albumin, Egg (Ovalbumin)	Residual Medium	Fluvirin	Influenza	≤1 mcg
Albumin, Egg (Ovalbumin)	Residual Medium	Priorix	MMR	≤60 mcg
Aluminum	Adjuvant	Engerix-B	HepB	0.5 mg/mL aluminum as aluminum hydroxide
Aluminum	Adjuvant	Gardasil	HPV	225 mcg as amorphous aluminum hydroxyphosphate sulfate
Aluminum	Adjuvant	Gardasil 9	HPV	500 mcg as amorphous aluminum hydroxyphosphate sulfate
Aluminum	Adjuvant	Havrix	HepA	0.25 mg (as aluminum hydroxide)
Aluminum	Adjuvant	Pediarix	DTaP+HepB+IPV	≤0.7 mg
Aluminum	Adjuvant	PedvaxHIB	Hib+HepB	225 mcg
Aluminum	Adjuvant	Prevnar 13	Pneumococcal 13	125 mcg
Aluminum	Adjuvant	Prevnar 20	Pneumococcal 20	125 mcg as aluminum phosphate
Aluminum	Adjuvant	Recombivax HB	HepB	0.5 mg/mL
Aluminum	Adjuvant	TDVax	Tetanus+Diphtheria	≤0.53mg
Aluminum	Adjuvant	Tenivac	Tetanus+Diphtheria	0.33 mg
Aluminum	Adjuvant	Trumenba	Meningococcal B	0.25 mg
Aluminum	Adjuvant	Vaqta	HepA	0.45 mg/mL as amorphous aluminum hydroxyphosphate sulfate
Aluminum	Adjuvant	Vaxelis	DTaP+IPV+Hib+HepB	319 mcg aluminum from aluminum salts
Aluminum	Adjuvant	Vaxneuvance	Pneumococcal 15	125 mcg aluminum as aluminum phosphate adjuvant
Aluminum Hydroxide	Adjuvant	Bexsero	Meningococcal B	1.5 mg (0.519 mg aluminum)
Aluminum Hydroxide	Adjuvant	Boostrix	Tdap	≤0.3 mg aluminum
Aluminum Hydroxide	Adjuvant	Infanrix	DTaP	0.5 mg aluminum
Aluminum Hydroxide	Adjuvant	Kinrix	DTaP+IPV	≤0.5 mg aluminum
Aluminum Hydroxide	Adjuvant	Prehevbrio	HepB	0.5 mg/mL aluminum
Aluminum Phosphate	Adjuvant	Adacel	Tdap	1.5 mg (0.33 mg aluminum)
Aluminum Phosphate	Adjuvant	Daptacel	DTaP	1.5 mg (0.33 mg aluminum)
Aluminum Phosphate	Adjuvant	DT	DT	1.5 mg
Aluminum Phosphate	Adjuvant	Penbraya	Meningococcal ACYW-135	0.25 mg aluminum
Aluminum Phosphate	Adjuvant	Pentacel	DTaP+IPV+Hib	1.5 mg (0.33 mg aluminum)
Aluminum Phosphate	Adjuvant	Quadracel	DTaP+IPV	1.5 mg (0.33 mg aluminum)
Aluminum Phosphate and Aluminum Hydroxide	Adjuvant	Twinrix	HepA+HepB	0.45 mg/mL aluminum
Bovine Casein	Medium Nutrient	ActHIB	Hib	Amount not specified in package insert
Bovine Casein	Medium Nutrient	Boostrix	Tdap	Amount not specified in package insert
Bovine Casein	Medium Nutrient	DT	DT	Amount not specified in package insert
Bovine Casein	Medium Nutrient	Infanrix	DTaP	Amount not specified in package insert
Bovine Casein	Medium Nutrient	Kinrix	DTaP+IPV	Amount not specified in package insert
Bovine Casein	Medium Nutrient	Menactra	Meningococcal ACYW-135	Amount not specified in package insert
Bovine Casein	Medium Nutrient	Pediarix	DTaP+HepB+IPV	Amount not specified in package insert
Bovine Extract	Medium Nutrient	Boostrix	Tdap	Amount not specified in package insert
Bovine Extract	Stabilizer	Infanrix	DTaP	Amount not specified in package insert

Bovine Extract	Stabilizer	Kinrix	DTaP+IPV	Amount not specified in package insert
Bovine Extract	Stabilizer	Pediarix	DTaP+HepB+IPV	Amount not specified in package insert
Bovine Extract	Stabilizer	TDVax	Tetanus+Diphtheria	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Adacel	Tdap	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Daptacel	DTaP	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Menactra	Meningococcal ACYW-135	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Pentacel	DTaP+IPV+Hib	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Prevnar 13	Pneumococcal 13	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Prevnar 20	Pneumococcal 20	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Quadracel	DTaP+IPV	Amount not specified in package insert
Bovine, Casamino Acid	Stabilizer	Tenivac	Tetanus+Diphtheria	Amount not specified in package insert
Cellular DNA	Residual Byproduct	Novavax	COVID-19	≤ 0.00016 mcg
Egg Protein (ovalbumin)	Residual Medium	Fluad	Influenza	<0.4 mcg
Gelatin, hydrolyzed	Stabilizer	MMR-II	MMR	14.5 mg
Gelatin, hydrolyzed	Stabilizer	ProQuad	MMRV	11 mg
Gelatin, hydrolyzed	Stabilizer	Varivax	Varicella	12.5 mg
Gelatin, Porcine, Hydrolyzed	Stabilizer	FluMist	Influenza	2.00 mg/0.2 mL dose
Gelatin, Porcine, Hydrolyzed	Stabilizer	Zostavax	Varicella Zoster	15.58 mg/0.65 mL dose
Gentamicin Sulfate	Antimicrobial	Fluarix	Influenza	≤0.15 mcg
Gentamicin Sulfate	Antimicrobial	FluMist	Influenza	<0.015 mcg/mL
Lentil Lectin	Residual Byproduct	Novavax	COVID-19	< 0.025 mcg
Methyl-A-D-Mannopyranoside	Residual Byproduct	Novavax	COVID-19	2 mcg
Neomycin	Antimicrobial	Fluad	Influenza	≤0.02 mcg
Neomycin	Antimicrobial	Fluvirin	Influenza	≤2.5 mcg
Neomycin	Antimicrobial	Kinrix	DTaP+IPV	≤0.05 ng
Neomycin	Antimicrobial	MMR-II	MMR	25 mcg
Neomycin	Antimicrobial	Pediarix	DTaP+HepB+IPV	≤0.05 ng
Neomycin	Antimicrobial	Pentacel	DTaP+IPV+Hib	<0.01 pg
Neomycin	Antimicrobial	ProQuad	MMRV	<16 mcg
Neomycin	Antimicrobial	Quadracel	DTaP+IPV	<4 pg
Neomycin	Antimicrobial	Vaqta	HepA	<10 ppb (residual)
Neomycin	Antimicrobial	Varivax	Varicella	Trace amounts
Neomycin	Antimicrobial	Vaxelis	DTaP+IPV+Hib+HepB	<5 ng
Neomycin	Antimicrobial	Zostavax	Varicella Zoster	Trace amounts
Neomycin Sulfate	Antimicrobial	Afluria	Influenza	≤61.5 ng
Neomycin Sulfate	Antimicrobial	Havrix	HepA	≤40 ng/mL
Neomycin Sulfate	Antimicrobial	Priorix	MMR	≤25 mcg
Neomycin Sulfate	Antimicrobial	Twinrix	HepA+HepB	≤20 ng/mL
Pluronic F-68	Residual Byproduct	Novavax	COVID-19	< 2.19 mcg
Polyethylene Glycol	Lipid	Comirnaty (Pfizer)	COVID-19	0.05 mg 2[(polyethylene glycol)-2000]-N,N-ditetradecylacetamide/0.3 mL dose
Polyethylene Glycol	Lipids	mResvia	RSV	<1.02 mg 2000 dimyristoyl glycerol [PEG2000-DMG]
Polyethylene Glycol	Lipid	Spikevax (Moderna)	COVID-19	1.01 mg (SM-102, polyethylene glycol [PEG] 2000 dimyristoyl glycerol [DMG])
Polymyxin	Antimicrobial	Fluvirin	Influenza	≤3.75 mcg
Polymyxin B	Antimicrobial	Afluria	Influenza	≤10.5 ng
Polymyxin B	Antimicrobial	Kinrix	DTaP+IPV	≤0.01 ng
Polymyxin B	Antimicrobial	Pediarix	DTaP+HepB+IPV	≤0.01 ng
Polymyxin B	Antimicrobial	Pentacel	DTaP+IPV+Hib	<0.000001 pg
Polymyxin B Sulfate	Antimicrobial	Quadracel	DTaP+IPV	<4 pg
Polymyxin B Sulfate	Antimicrobial	Vaxelis	DTaP+IPV+Hib+HepB	<25 ng
Polysorbate 20	Surfactant	Capvaxive	Pneumococcal 21	0.50 mg
Polysorbate 20	Surfactant	Flublok	Influenza	≤27.5 mcg (Tween 20)
Polysorbate 20	Surfactant	Havrix	HepA	0.05 mg/mL
Polysorbate 20	Surfactant	Twinrix	HepA+HepB	Amount not specified in package insert
Polysorbate 20	Surfactant	Vaxneuvance	Pneumococcal 15	1 mg
Polysorbate 80	Surfactant	Abrysvo	RSV	0.08 mg
Polysorbate 80	Surfactant	AREXVY	RSV	0.18 mg
Polysorbate 80	Surfactant	Boostrix	Tdap	≤100 mcg (Tween 80)
Polysorbate 80	Surfactant	Fluad	Influenza	1.175 mg
Polysorbate 80	Surfactant	Flulaval	Influenza	≤665 mcg
Polysorbate 80	Surfactant	Gardasil	HPV	50 mcg
Polysorbate 80	Surfactant	Gardasil 9	HPV	50 mcg
Polysorbate 80	Surfactant	Heplisav-B	HepB	0.1 mg/mL
Polysorbate 80	Surfactant	Infanrix	DTaP	≤100 mcg (Tween 80)
Polysorbate 80	Surfactant	Kinrix	DTaP+IPV	≤100 mcg (Tween 80)
Polysorbate 80	Surfactant	Novavax	COVID-19	0.050 mg
Polysorbate 80	Surfactant	Pediarix	DTaP+HepB+IPV	≤100 mcg (Tween 80)

Polysorbate 80	Surfactant	Penbraya	Meningococcal ACYW-135	0.018 mg at pH 6.0
Polysorbate 80	Surfactant	Pentacel	DTaP+IPV+Hib	<8.1 mcg
Polysorbate 80	Surfactant	Prevnar 13	Pneumococcal 13	100 mcg
Polysorbate 80	Surfactant	Prevnar 20	Pneumococcal 20	100 mcg
Polysorbate 80	Surfactant	Quadracel	DTaP+IPV	10 ppm
Polysorbate 80	Surfactant	RotaTeq	Rotavirus	Amount not specified in package insert
Polysorbate 80	Surfactant	Shingrix	Zoster	0.08 mg
Polysorbate 80	Surfactant	Trumenba	Meningococcal B	0.018 mg
Polysorbate 80	Surfactant	Vaxelis	DTaP+IPV+Hib+HepB	<0.0056%
Polysorbate 80 (Tween 80)	Surfactant	Fluarix	Influenza	≤0.415 mg (Tween 80)
Polysorbate 80 (Tween 80)	Surfactant	Flucelvax	Influenza	≤1125 mcg (Tween 80)
Porcine DNA	Residual Medium	Rotarix	Rotavirus	PCV-1
Sf9 Cell Proteins		Novavax	COVID-19	≤ 0.96 mcg
Simethicone	Residual Byproduct??	Novavax	COVID-19	< 0.92 mcg
Sodium Taurodeoxycholate	Protein Purifier	Afluria	Influenza	≤10 ppm (residual)
Streptomycin sulfate	Manufacturing Residue	Vaxelis	DTaP+IPV+Hib+HepB	<200 ng
Thimerosal	Preservative	Afluria	Influenza	24.5 mcg mercury only in multi-dose vial; none in single dose
Thimerosal	Preservative	Flucelvax	Influenza	<25 mcg mercury only in multi-dose vial; none in single dose
Thimerosal	Preservative	Fluvirin	Influenza	25 mcg mercury/dose in multi-dose vial; ≤1 mcg/dose mercury in prefilled syringe
Thimerosal	Preservative	FluZone	Influenza	25 mcg mercury in multi-dose vial; none in single dose
Thimerosal	Manufacturing Residue	TDVax	Tetanus+Diphtheria	≤0.3 mcg mercury (trace amounts)
Yeast	Medium Nutrient	Capvaxive	Pneumococcal 21	Amount not specified in package insert
Yeast	Medium Nutrient	Engerix-B	HepB	≤5% yeast protein
Yeast	Medium Nutrient	Gardasil	HPV	<7 mcg yeast protein
Yeast	Medium Nutrient	Gardasil 9	HPV	<7 mcg yeast protein
Yeast	Medium Nutrient	Hepelisav-B	HepB	Yeast protein: ≤5.0% of total protein (residual) Yeast DNA: <20 pg
Yeast	Medium Nutrient	Menveo	Meningococcal ACYW-135	Amount not specified in package insert
Yeast	Medium Nutrient	Pediarix	DTaP+HepB+IPV	≤5% yeast protein
Yeast	Medium Nutrient	Penbraya	Meningococcal ACYW-135	Amount not specified in package insert
Yeast	Medium Nutrient	Prevnar 13	Pneumococcal 13	Ingredient in growth medium
Yeast	Medium Nutrient	Prevnar 20	Pneumococcal 20	Ingredient in growth medium
Yeast	Medium Nutrient	Recombivax HB	HepB	<1% yeast protein
Yeast	Medium Nutrient	Twinrix	HepA+HepB	≤5% yeast protein
Yeast	Medium Nutrient	Vaxelis	DTaP+IPV+Hib+HepB	≤0.1 mcg
Yeast	Medium Nutrient	Vaxneuvance	Pneumococcal 15	Amount not specified in package insert

This information is correct to the best of our knowledge. Please report inaccuracies to us at [info@hopkinsvaccine.org](mailto:info@hopkinsvaccine.org).

Table was last updated on December 19, 2024 | © 2024 Institute for Vaccine Safety